

Aegis Consulting group

695 Washington St
Ashland, OR 97520
aegis.consulting.oregon@gmail.com
(503) 964-2860
Lic. #AG-R10962831HH

Sample: 2511CCH1100.7408

Strain: Warheadz
Batch#:

Sample Received: 11/21/2025; Report Created: 11/26/2025

1

Plant, Fresh Frozen, Light Deprivation
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Terpenes

Cannabinoids

24.575%	0.036%	28.838%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.00004	27.941	279.41
Δ9-THC	0.00004	0.071	0.71
Δ8-THC	0.00004	0.039	0.39
THCVa	0.00004	0.092	0.92
THCV	0.00004	ND	ND
CBDa	0.00004	0.041	0.41
CBD	0.00004	ND	ND
CBDVa	0.00004	0.018	0.18
CBDV	0.00004	0.011	0.11
CBNa	0.00004	ND	ND
CBN	0.00004	0.020	0.20
CBGa	0.00004	0.322	3.22
CBG	0.00004	0.078	0.78
CBCa	0.00004	0.205	2.05
CBC	0.00004	ND	ND
CBL	0.00004	ND	ND
Total		28.838	288.38

Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass
---------	-----	------	------	---------	-----	------	------

Date Tested: 11/25/2025

Complete	Complete	Complete
Foreign Matter	0.0% Moisture	0.00100 aw Water Activity

Aegis Consulting group

695 Washington St
Ashland, OR 97520
aegis.consulting.oregon@gmail.com
(503) 964-2860
Lic. #AG-R10962831HH

Sample: 2511CCH1100.7408

Strain: Warheadz
Batch#:

Sample Received: 11/21/2025; Report Created: 11/26/2025

1

Plant, Fresh Frozen, Light Deprivation
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Pesticides

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Abamectin	0.000	0.500	ND	Pass
Azoxystrobin	0.000	0.200	ND	Pass
Bifenazate	0.000	0.200	ND	Pass
Etoxazole	0.000	0.200	ND	Pass
Imazalil	0.000	0.200	ND	Pass
Imidacloprid	0.000	0.400	ND	Pass
Malathion	0.000	0.200	ND	Pass
Myclobutanil	0.000	0.200	ND	Pass
Other Pesticides	0.000	0.500	ND	Pass
Permethrins	0.000	0.200	ND	Pass
Spinosad	0.000	0.200	ND	Pass
Spiromesifen	0.000	0.200	ND	Pass
Spirotetramat	0.000	0.200	ND	Pass
Tebuconazole	0.000	0.400	ND	Pass

Date Tested: 11/25/2025

Heavy Metals

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.010	0.200	0.032	Pass
Cadmium	0.006	0.200	0.028	Pass
Lead	0.004	0.500	0.062	Pass
Mercury	0.002	0.100	0.009	Pass

Date Tested: 11/24/2025

Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Yeast & Mold		40000	Tested
Aerobic Bacteria		2000000	Tested
Bile-Tolerant Gram-Negative Bacteria		ND	Tested
Aspergillus flavus	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Salmonella	1	ND	Pass

Date Tested: 11/25/2025

Residual Solvents

Not Tested

Analyte	LOQ	Limit	Result	Status
---------	-----	-------	--------	--------

Mycotoxins

Pass

Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
Aflatoxin B1	3.91	20.00	ND	Pass
Aflatoxin B2	3.91	20.00	ND	Pass
Aflatoxin G1	3.91	20.00	ND	Pass
Aflatoxin G2	3.91	20.00	ND	Pass
Ochratoxin A	15.60	20.00	ND	Pass
Total Aflatoxins	3.91	20.00	ND	Pass

Date Tested: 11/25/2025